

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	"5930553".pn. or "6019449".pn. or "6144812".pn. or "5995774".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 14:42
S2	267871	(nonvolatile or (non \$volatile)) adj4 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 14:55
S3	5	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 14:56
S4	7386	(ship\$4 or shipment) adj3 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:00
S5	6	cartridge and (nonvolatile adj4 (memory or storage)) and ((ship\$4 or address\$4) with (destination or mail \$4)) and ((destinat\$4 or history or product \$4) adj12 manag\$5) and (destination adj4 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 11:57
S6	3534	cartridge and (nonvolatile adj4 (memory or storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:07
S7	4560	print\$4 adj5 parameter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:08

S8	4226960	(company or supplier) with code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:08
S9	80769	(ship\$4 or mail\$4) with (destination or address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:09
S10	19353	(ship\$4 or mail\$4) with (destination or address\$3) with (stor\$4 or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:11
S11	6631	second with (destination or address\$3) with manag\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:15
S12	32039	(destination or company or supplier) with code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:26
S13	124	(address or destination) with stor\$4 with lot with number	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:31
S14	3	stor\$4 with lot with number with (ascii or hexadecimal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:35
S15	8	lot with number with (ascii or hexadecimal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:53

S16	3	S13 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:56
S17	19353	S9 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:13
S18	1727	S12 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:13
S19	4	S6 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:39
S20	38	S6 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:41
S21	0	(ship\$4 or mail\$4) with (destination or address\$4) with (multiple or different) with geographic\$4 with district	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:49
S22	124	(address or destination) with stor \$4 with lot with number	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 11:50
S23	8	lot with number with (ascii or hexadecimal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 11:50

S24	3	S22 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 11:50
S25	0	S24 and (geographical with district)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:50
S26	0	S24 and (district with sale)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 11:52
S27	2	S24 and voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:07
S28	0	S24 and (voltage adj4 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:08
S29	2	S24 and (reference with voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:08
S30	0	S24 and geographical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 12:09
S31	2	S24 and district	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 12:09

S32	424486	(reference or parameter) with voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 12:10
S33	9	(ship\$4 or mail\$4) with (destination or address\$4) with (multiple or different) with geographic\$4 with area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 12:10
S34	29	lot with number with (destination or address\$3) with (product\$3 or cartridge) with (manag\$5 or administra\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:14
S35	8	"5930553".pn. or "6019449".pn. or "6144812".pn. or "5995774".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:14
S36	268536	(nonvolatile or (non \$volatile)) adj4 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:14
S37	5	S35 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:14
S38	5	S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:14
S39	3540	cartridge and (nonvolatile adj4 (memory or storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:17

S40	3540	S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:17
S41	2	S34 AND S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:22
S42	22431	(destination or address \$3 or company or market) with (code or number) with (manag \$5 or administra\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:29
S43	137	S39 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:29
S44	2	S22 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:30
S45	22787	(destination or address \$3 or company or market or supplier) with (code or number) with (manag \$5 or administra\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:31
S46	244	(ship\$5 or mail\$4) with (destination or mail\$4) with (company or market or supplier) with (code or number) with (manag\$5 or administra\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:55
S47	6	S39 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:55

S48	3445	cartridge with detachably with body	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:02
S49	869	component with carry \$4 with formation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:02
S50	93697	nonvolatile with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:02
S51	0	first adj3 destination with shipment with print\$4 with parameter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:03
S52	19767	second with destination with code production with management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:04
S53	0	process\$3 with alter \$4 with predetermin \$4 with print\$3 with parameter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:04
S54	0	shipment with destination with code with separate with areas with nonconsecutive with address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:05
S55	0	stor\$4 with areas with nonconsecutive with address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:05

S56	1	areas with nonconsecutive with address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:06
S57	2	S24 and address\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:07
S58	24	lot with number with destination with production	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:11
S59	7	S22.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:11
S60	1	S23.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:11
S61	74527	S32.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:11
S62	1	S33.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:11
S63	1	S34.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:12

S64	34218	S36.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:12
S65	2080	S42.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:13
S66	2152	S45.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:13
S67	1	S46.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:13
S68	57	S49.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:13
S69	11956	S50.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:13
S70	1895	S52.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:13
S71	1	S58.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:14

S72	2	S61 and S64 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:14
S73	64	S66 and S64 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:15
S74	0	S68 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:15
S75	70901	okunishi.in. or yoshizaki.in. or hino. in. or nagatani.in. or takano.in. or tohyama. in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:16
S76	16	S48 and S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:16
S77	2	S58 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:16
S78	236	439/946.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 15:38

10/31/2008 7:57:25 PM

C:\Documents and Settings\ggarcia\My Documents\EAST\Workspaces\09925734.wsp